FC-107-14-HHL

Non-Recessed, Tri-Bowl Drinking Fountain with In-Wall Chiller and Taste Master® Purifier

Fountain bowl, cover plate and chiller cabinet shown in standard stainless steel satin finish with "Soft Touch" button valves* and bubblers* in mirror finish

*"Hands Free" option available

Dimensions in drawing subject to options selected.

Features

- [3] 14" diameter, 16 ga. fountain bowls
- No plastic parts
- 100% made in the USA
- Manufactured with lead-free materials
- Integral drain in bowl for ease of cleaning
- ¼" steel support arm and wall bracket capable of supporting 500 lbs.
- Matching cover plate and cabinet finishes including unlimited powder coat colors
- Options include vandal proof bubblers, bottle fillers, bottle counters, finishes, bubbler valves, and more...

FC-107-14-HHL Models Include:

Chiller: Model 56NL

- **Water in**: ¼" FPT
- **Cooling Capacity**: 5 GPH @ 50°F [10°C]*
- **Storage**: 2 gal, insulated stainless steel tank
- **Refrigerant**: HFO R513A "Ozone Safe - Low GWP"
- **Electrical**: 115/60/1 or specify _____

*Higher capacity chillers are available consult factory for correct model #s.

Purifier: Taste Master® TMS1-0.5

- **Construction**: Stainless steel housing
- **Element**: Carbon block removes particulates, cysts, chlorine, organic odors and tastes. Exclusive seal design negates bypassing and leaking.

Top View



Select Low Fountain Location
☐ **Left [S]** ☐ **Right**

NOTE:
Install Chiller in Stud Wall with Minimum 6" x 18" Opening for Exhaust into Plenum Above.

Side View



Front View



For options, finishes and more see page 2

Filtrine Mfg. Co. · 15 Kit St. Keene, NH 03431 USA
800-930-3367 · 603-352-5500 · FAX (603) 352-0330
www.filtrine.com · drinkingwater@filtrine.com

MADE IN USA

FILTRINE IS ISO 9001:2015 CERTIFIED
PRODUCT LINE ETL APPROVED CE MARK AVAILABLE

COMPLIES WITH LEAD NSF/ANSI 372

Filtrine Drinking Water Non-Recessed Fountain Options

[S] - Standard
♿ - ADA compliant

☐ Optional Vandal Proof Bottle Filler (Choose only one optional filler)

☐"Soft Touch" Valve ☐Sensor Activation*

☐Bottle Rest - Located above lowest bowl for reduced splash and one handed operation

☐Bottle Counter - Digital display of approx. number of bottles saved through fountain usage
Note: Only available with sensor activation

- Mounted 10" above lowest fountain bowl.
- Comes standard with bottom security panel assembled with tamper proof screws.
- Requires larger cover plate and mounting plate.
- Supply plumbing and mounting tongue for filler provided by Filtrine.

☐ Optional Integral "Push Back" Lever Bottle Filler (Choose only one optional filler)



- Mounted 10" above lowest fountain bowl.
- Requires larger cover and mounting plates.
- Easy-to-use stainless steel "push back" lever.
- Supply plumbing and mounting fitting for filler provided by Filtrine.

☐ Optional Security Panel

Bubbler Controls (Check One)



☐ Optional Fountain Sensor Activated Bubbler

- Uses 4x -AA lithium batteries (included), runs approximately 400,000 activation cycles*.
- Features automatic shutoff (30 sec).
- Helps prevent vandalism and water waste.

**115/60/1 voltage available*

Fountain Finish (Check One)
☐Satin Stainless [S] ☐Mirrored Stainless ☐Powder Coat _____ ☐Satin Bronze ☐Mirrored Bronze ☐Statuary Bronze ☐Oil-Rubbed Bronze

Cover Plate Finish (Check One)
☐Satin Stainless [S] ☐Mirrored Stainless ☐Powder Coat _____ ☐Satin Bronze ☐Mirrored Bronze ☐Statuary Bronze ☐Oil-Rubbed Bronze

Stainless

Satin Stainless Steel [S]

Mirrored Stainless Steel

Bronze



Satin Bronze



Mirrored Bronze



Oil Rubbed Bronze

Statuary Bronze

Filtrine Mfg. Co. · 15 Kit St. Keene, NH 03431 USA
800-930-3367 · 603-352-5500 · FAX 603-352-0330
www.filtrine.com · drinkingwater@filtrine.com

MADE IN USA

FILTRINE IS ISO 9001:2015 CERTIFIED
PRODUCT LINE ETL APPROVED CE MARK AVAILABLE

COMPLIES WITH LEAD NSF/ANSI 372