

The Guide To Filtrine FOUNTAIN FINISHES



SELECTION and CARE INFORMATION

All FILTRINE products certified to be LEAD FREE - Compliant with CA-AB1953 and NSF 61, Annex G

Standard Finishes For Fountains & Cover Plates

illustrated on Model B103 FILLING STATIONS



Satin Stainless



Powder Coat



Statuary Bronze



Satin Bronze



Oil-Rubbed Bronze
















Standard Powder Coat Finishes For Cover Plates

RAL 1000	
RAL 1001	
RAL 1002	
RAL 1003	
RAL 1004	
RAL 1005	
RAL 1006	
RAL 1007	
RAL 1011	
RAL 1012	
RAL 1013	
RAL 1014	
RAL 1015	
RAL 1016	
RAL 1017	
RAL 1018	
RAL 1019	
RAL 1020	
RAL 1021	
RAL 1023	
RAL 1024	
RAL 1026	
RAL 1027	
RAL 1028	
RAL 1032	
RAL 1033	
RAL 1034	
RAL 1035	
RAL 1036	
RAL 1037	

RAL 2000	
RAL 2001	
RAL 2002	
RAL 2003	
RAL 2004	
RAL 2005	
RAL 2007	
RAL 2008	
RAL 2009	
RAL 2010	
RAL 2011	
RAL 2012	
RAL 2013	
RAL 3000	
RAL 3001	
RAL 3002	
RAL 3003	
RAL 3004	
RAL 3005	
RAL 3007	
RAL 3009	
RAL 3011	
RAL 3012	
RAL 3013	
RAL 3014	
RAL 3015	
RAL 3016	
RAL 3017	
RAL 3018	
RAL 3020	
RAL 3022	








































Powder coat finishes available in Flat/Satin/Gloss... contact Filtrine

Standard Powder Coat Finishes For Cover Plates

RAL 3024		RAL 5013	
RAL 3026		RAL 5014	
RAL 3027		RAL 5015	
RAL 3028		RAL 5017	
RAL 3031		RAL 5018	
RAL 3032		RAL 5019	
RAL 3033		RAL 5020	
RAL 4001		RAL 5021	
RAL 4002		RAL 5022	
RAL 4003		RAL 5023	
RAL 4004		RAL 5024	
RAL 4005		RAL 5025	
RAL 4006		RAL 5026	
RAL 4007		RAL 6000	
RAL 4008		RAL 6001	
RAL 4009		RAL 6002	
RAL 4010		RAL 6003	
RAL 4011		RAL 6004	
RAL 4012		RAL 6005	
RAL 5000		RAL 6006	
RAL 5001		RAL 6007	
RAL 5002		RAL 6008	
RAL 5003		RAL 6009	
RAL 5004		RAL 6010	
RAL 5005		RAL 6011	
RAL 5007		RAL 6012	
RAL 5008		RAL 6013	
RAL 5009		RAL 6014	
RAL 5010		RAL 6015	
RAL 5011		RAL 6016	
RAL 5012		RAL 6017	














Powder coat finishes available in Flat/Satin/Gloss... contact Filtrine

Standard Powder Coat Finishes For Cover Plates

RAL 6018		RAL 7015	
RAL 6019		RAL 7016	
RAL 6020		RAL 7021	
RAL 6021		RAL 7022	
RAL 6022		RAL 7023	
RAL 6024		RAL 7024	
RAL 6025		RAL 7026	
RAL 6026		RAL 7030	
RAL 6027		RAL 7031	
RAL 6028		RAL 7032	
RAL 6029		RAL 7033	
RAL 6032		RAL 7034	
RAL 6033		RAL 7035	
RAL 6034		RAL 7036	
RAL 6035		RAL 7037	
RAL 6036		RAL 7038	
RAL 6037		RAL 7039	
RAL 6038		RAL 7040	
RAL 7000		RAL 7042	
RAL 7001		RAL 7043	
RAL 7002		RAL 7044	
RAL 7003		RAL 7045	
RAL 7004		RAL 7046	
RAL 7005		RAL 7047	
RAL 7006		RAL 7048	
RAL 7008		RAL 8000	
RAL 7009		RAL 8001	
RAL 7010		RAL 8002	
RAL 7011		RAL 8003	
RAL 7012		RAL 8004	
RAL 7013		RAL 8007	

Powder coat finishes available in Flat/Satin/Gloss... contact Filtrine

Standard Powder Coat Finishes For Cover Plates

RAL 8008	
RAL 8011	
RAL 8012	
RAL 8014	
RAL 8015	
RAL 8016	
RAL 8017	
RAL 8019	
RAL 8022	
RAL 8023	
RAL 8024	
RAL 8025	
RAL 8028	
RAL 8029	
RAL 9001	
RAL 9002	
RAL 9003	
RAL 9004	
RAL 9005	
RAL 9006	
RAL 9007	
RAL 9010	
RAL 9011	
RAL 9016	
RAL 9017	
RAL 9018	
RAL 9022	
RAL 9023	

Powder coat finishes available in Flat/Satin/Gloss... contact Filtrine



Fountain/Cover Plate Care and Flow Adjustment

DO NOT USE ABRASIVES ON ANY FOUNTAIN FINISH

FOUNTAIN CLEANING INSTRUCTIONS

STAINLESS STEEL - Satin Finishes

- Weekly, or as required, clean all exposed surfaces with mild soap solution using a soft cloth.
- Dry with a clean soft cloth.
- Annually, or as required, clean all exposed surfaces with your choice of stainless steel polish. Be sure to follow the manufacturer's instructions for best results.

BRONZE - All Finishes

- Weekly, or as required, clean all exposed surfaces with a mild soap solution using a soft cloth.
- Dry with a clean soft cloth.
- Annually, or as required, apply spray on car wax per manufacturers instructions to help protect clear coat and keep your fountain looking new.
- If finish requires complete renewal, contact the factory for available refinish options.

POWDER COAT - All Finishes

- Once a week, clean all exposed surfaces with **WINDEX** or mild soap solution using a soft cloth.
- Then dry with clean soft cloth.

FOUNTAIN WARRANTY – One Year Coverage

Filtrine drinking water fountains are covered by a factory warranty for 12 months from date of installation, or 15 months from ship date whichever comes first.

Filtrine will replace, F.O.B. factory, any fountain found upon factory inspection to be defective due to faulty material or workmanship. Damage due to abuse, marring as a result of improper care cannot be considered defective.

All fountains are shipped with protective wrap. Owner shall remove wrap at time of acceptance. If protective wrap has been removed before owner's acceptance, and fountain finish is marred, responsibility for refinishing shall be borne by contractor.

COMPLETE FOUNTAIN RECONDITIONING – Regardless of Age or Condition

Exchange your worn, stained or scratched Filtrine fountains for reconditioned fountains of the same model shipped to you in advance!

You'll need only one plumber visit to replace your current fountain. Simply order a reconditioned fountain from our stock. When the fountain arrives, remove your fountain from the wall, install the reconditioned unit and return your old fountain pre-paid to the factory for credit determination.

This service is available at any time, regardless of the fountain's age or condition – *with the exception of vandalized or damaged units, which incur an additional fee.*

For more information on Filtrine's warranty or the fountain reconditioning program, contact the factory.

FOUNTAIN BUBBLER OR BOTTLE FILLER FLOW REGULATOR ADJUSTMENT

PROBLEM	CAUSE	REMEDY
Water Flow Inadequate	Regulator Out of Adjustment	1. Unscrew hex cover and remove push button. Using standard screwdriver, proper height adjustment can be accomplished by turning the screw on top of regulator cartridge <i>clockwise to increase</i> water stream height and <i>counter-clockwise to decrease</i> water stream height. 2. MAKE ADJUSTMENT 1/8 TURN AT A TIME 3. Reinstall by reversing above procedure.
	Excessive Sediment Preventing Proper Flow Through Spout	1. Use regular screwdriver to remove spout and stream straightener. 2. Clean both parts of all deposits which have accumulated. 3. Reinstall by reversing above procedure.
Water Leaking at Push Button	Ruptured Diaphragm in Regulator	1. Unscrew hex cover and remove push button. Remove retaining ring with spanner wrench. 2. Remove regulator cartridge assembly and replace with new. 3. Reinstall by reversing above procedure.
Water Leaking Near Spout	Regulator or Diaphragm is Sticking	Unscrew hex cover and remove push button. Regulator cartridge assembly is now revealed. Using standard screwdriver, adjust the regulator clockwise all the way in and then counter-clockwise all the way out. If bubbler continues to leak, replace regulator cartridge assembly. OR Once the regulator cartridge assembly revealed, pull cartridge out. As you slide regulator cartridge back into operating position, make sure it is properly seated by checking that the two pins on the base of the regulator align with the two holes in the bottom of the bubbler housing.